


F16. 1

ŧ,



F16. 2










FIG. 5





	*				-
.		PACKARD		ECardFile.com	
3/0 =		Looku	p ල්ලිකර (Dec	(fi)	
				Semi-Private Public	
		A New User	Privacy Private Levels: 6	Semi-Private Public	
LEGEND			terry Up to 14 letters/numbers.\	Entered at "Look up a	7216
	710	Card." Ex. JamesD. Password: 15		122	724
Fig. 7A		Retype Pass:		Key: 8 6 6	774
Fig. 7B		Title: Ex. Mr. Ms etc.:			<u> </u>
		First Name:	<u>-</u>		
n Anail		Middle Name:		1-00-0	
. Hann Man	Andrew of the control	Last Name: Suffix:			
		Ex: PhD: M.D. Company Name:			
		Job Title:			
; :		Business : Comment:	\$.		720
		Web Page URL: 1	<u> </u>	C C © Key: 6 6 6	
		Address 1: Business	1		
		City:			
		State/Province: Zip/Postal:			
	And the second s	Country:			


F16. 7B

10 =	New	User Bottom:			
		Home 🗵		9 O 0 O	· · · · · · · · · · · · · · · · · · ·
	710	mestal est		0 O O	
		City:			
		State/Province:			en la companya di salah di sa
4		Zip/Postal: Country:	24 <u> </u>	0 0 0 0 0 0	
TEND	**		* 3.5 <u>**</u> - 1.5**	(ey: 8 6 6	
		Phone: Bus Phone	E CONTRACTOR OF THE CONTRACTOR		
- 7A		Bus. Fax			777
Ty. 7A		Cell Phone	1.1		
		Pager Flome Phone			
ig. 7B				Shirle to be a second	
		Email: Business		0.00	
		Home 🖫	5 :		
		Email Auth:		2750	
		This is the email addre	ess ECardFile uses for admi		
		will not be displayed of	Okay Cancel	一 数据》	
		3. 47	80 au <u>rila</u> (740	
		6 6 6		(6) (6) (5))
			an Berryan 3		

.

ECardFile.com Locimpa Card lik or First Name: Last Name Find similar sounding names: bout ecardfile | become a member | searchilio Registration Confirmation 😸 Thank you. Your eard registration is complete, and your oassword will be activated shortly. BEFORE YOU CAN LOG IN: To protect your identity, ECardFile authenticates you before activating your password. The authentication process is as eas : Click on the ACCEPT button below to signify your. acceptance of ECardFile com's <u>terms of use</u>. 2. i - ECardFile then sends an email to the address you); entered in the "email auth" field of the registration form. As soon as you reply to the email, you can log in. Back 390 privacy terms of use @ 1999 Hewlett-Packard Company

is the line that the line of the line that the line that








FIG 11





#IG, 12





M-8157 WS

FIG. 13











#IG. 16



HZG 17


Voard and Signature Export Screen:



terms of use

@ 1999-2000 Hewlett-Packard Company

priyacy




F16. 19A

Database Schema

	The control of the co	A M. A. CONT PROPERTY OF THE SECTION	1	335 Sept. 74	address.	
PK,FK1	usersid	SERIAL		PK	addressid	SERIAL
	ecardid	CHAR(40)			optaddresstype	SMALLINT
	epassword	CHAR(10)			streetline1	VARCHAR(50)
	emailauth	VARCHAR(100)			pvtstreetline1	SMALLINT
	title	VARCHAR(10)			streetline2	VARCHAR(50)
	p∨ttitle	SMALLINT			pvtstreetline2	SMALLINT '
	firstname	VARCHAR(30)			streetline3	VARCHAR(50)
	pvtfirstname	SMALLINT	<u>-</u> H⊙€		pvtstreetline3	SMALLINT '
	middlename	VARCHAR(30)			city	VARCHAR(40)
	pvtmiddlename	SMALLINT			pvtcity	SMALLINT
	lastname	VARCHAR(30)			stateprovince	VARCHAR(30)
	pvtlastname	SMALLINT			pvtstateprovince	SMALLINT
	suffix	VARCHAR(10)			zippostal	VARCHAR(15)
	pvtsuffix	SMALLINT			pvtzippostal	SMALLINT
	1 *	VARCHAR(50)			country	VARCHAR(40)
	companyname				pvtcountry	SMALLINT
	pvtcompanyname	SMALLINT		FK1,I1	addressuserid	INTEGER
	jobtitle	VARCHAR(50)		LK1'11	addressuserid	INTEGER
	pvtjobtitle	SMALLINT				
	businesscomment	VARCHAR(100)				
	pvtbusinesscommer					
	webpageuri	VARCHAR(100)		January Philips	-1. phone	7 - 3 - 1
	pvtwebpageurl	SMALLINT			priore:	
	altfirstname	VARCHAR(30)		PK	phoneid	SERIAL
	pvtaltfirstname	SMALLINT				
11	ecardid_lc	CHAR(14)	-H -		optphonetype	SMALLINT
12	firstname_lc	VARCHAR(30)			phonenumber	VARCHAR(30)
13	lastname_lc	VARCHAR(30)			pytphonenumber	. , ,
14	altfirstname_lc	VARCHAR(30)		FK1,I1		
		1 ' ' '		FR 1.11	Dononeusersia	INTEGER
15	soundex	CHAR(4)	j	rki,ii	phoneusersid	INTEGER
15	soundex T I I I I I I I I I I I I I I I I I I	CHAR(4)		PK	pnoneusersid emailid emailid	SERIAL
15	# ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! !	CHAR(4)	~	PK	emailid optemailtype emailaddress pytemailaddress	SERIAL SMALLINT VARCHAR(100) SMALLINT
10	1	CHAR(4)	· ·		emailid optemailtype emailaddress	SERIAL SMALLINT VARCHAR(100
10	# ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! !	CHAR(4)		PK	emailid optemailtype emailaddress pytemailaddress	SERIAL SMALLINT VARCHAR(100) SMALLINT
10	# ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! !		o	PK	emailid optemailtype emailaddress pytemailaddress	SERIAL SMALLINT VARCHAR(100) SMALLINT
	1410 ———————————————————————————————————		-	PK	emailid optemailtype emailaddress pytemailaddress	SERIAL SMALLINT VARCHAR(100) SMALLINT
PK	# H H H H H H H H H H H H H H H H H H H	THE THE SERIAL SERIAL		PK	emailid optemailtype emailaddress pvtemailaddress emailusersid	SERIAL SMALLINT VARCHAR(100) SMALLINT INTEGER
	whereamid contact	SERIAL VARCHAR(30)		PK	emailid optemailtype emailaddress pytemailaddress	SERIAL SMALLINT VARCHAR(100 SMALLINT INTEGER
	whereamid contact pytcontact	SERIAL VARCHAR(30) SMALLINT	-	PK FK1,I1	emailid optemailtype emailaddress pvtemailaddress emailusersid	SERIAL SMALLINT VARCHAR(100 SMALLINT INTEGER
	whereami whereamid contact pytcontact details	SERIAL VARCHAR(30) SMALLINT VARCHAR(255)		PK FK1,I1	emailid optemailtype emailaddress pytemailaddress emailusersid	SERIAL SMALLINT VARCHAR(100 SMALLINT INTEGER
	whereami whereamid contact pytcontact details pytdetails	SERIAL VARCHAR(30) SMALLINT VARCHAR(255) SMALLINT		PK FK1,I1	emailid optemailtype emailaddress pytemailaddress emailusersid	SERIAL SMALLINT VARCHAR(100 SMALLINT INTEGER
	whereami whereamid contact pvtcontact details pvtdetails expirydate	SERIAL VARCHAR(30) SMALLINT VARCHAR(255) SMALLINT DATE		PK FK1,I1 PK lo	emailid optemailtype emailaddress pytemailaddress emailusersid lookup okupid SERI ategory SMAL	SERIAL SMALLINT VARCHAR(100 SMALLINT INTEGER
	whereamid whereamid contact pvtcontact details pvtdetails expirydate pvtexpirydate	SERIAL VARCHAR(30) SMALLINT VARCHAR(255) SMALLINT		PK FK1,I1 PK lo	emailid optemailtype emailaddress pytemailaddress emailusersid lookup okupid stegory escription VARO	SERIAL SMALLINT VARCHAR(100) SMALLINT INTEGER

F16. 19B



Blaner 75				
PK	bannerid	SERIAL		
	htmlstring	NVARCHAR(200)		

T. SHEWSTON	THE REPORT OF THE PARTY OF THE PARTY OF THE PARTY.	T restrict account for the root
PK	lockedipid	SERIAL
	ip dateoflock	CHAR(15

F16. 19C

	MARKO AND AND AND SOUTH THE PARTY.			1	ia a
(iuserid	SERIAL		PK	iaddressid
	dateofentry	DATE			optaddressty
	sessionid	CHAR(15)		ļ	streetline1
	ecardid	CHAR(40)			pvtstreetline1
	epassword	CHAR(10)			streetline2
	emailauth	VARCHAR(100)			pvtstreetline2
	title	VARCHAR(10)	"	ļ	streetline3
	pvttitle	SMALLINT	-lt -	1	pvtstreetline3
	firstname	VARCHAR(30)		İ	city
	pvtfirstname	SMALLINT		l	pvtcity
	middlename	VARCHAR(30)		l	stateprovince
	pvtmiddlename	SMALLINT		Ì	pvtstateprovinc
	lastname	VARCHAR(30)			zippostal
	pvtlastname	SMALLINT			pvtzippostal
	suffix	VARCHAR(10)		1	country
	pvtsuffix	SMALLINT			pvtcountry
	companyname	VARCHAR(50)		FK1	iaddressuserid
	pvtcompanyname	SMALLINT			
	jobtitle	VARCHAR(50)			
	pvtjobtitle	SMALLINT			
	businesscomment	VARCHAR(100)			
	pvtbusinesscomment	t e		Provide a	iphoi
	webpageurl	VARCHAR(100) SMALLINT		-3342	ipho
	altfirstname	VARCHAR(30)	-H -	PK	iphoneid
	pvtaltfirstname	SMALLINT		-	-1
1	soundex	CHAR(4)		1	optphonetype
	Country	0124(4)			phonenumber
	÷			İ	pytphonenumb
	!			FK1	iphoneuserid
	!				
	i				
	1		-		The state of the s
	1 1 1			DK .	a little meanwarden of the visit
	1			PK	iemailid_
)		≪	PK	a mich meanwartheartha.